

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau




09/890.570 CW

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : B44C 1/17, C03C 17/00		A1	(11) International Publication Number: WO 98/43832 (43) International Publication Date: 8 October 1998 (08.10.98)
(21) International Application Number: PCT/GB98/00803 (22) International Filing Date: 27 March 1998 (27.03.98) (30) Priority Data: 9706427.3 27 March 1997 (27.03.97) GB (71)(72) Applicant and Inventor: PEARSON, David (GB/GB); The Portergate, Ecclesall Road, Sheffield S11 8NX (GB). (74) Agent: ORR, William, McLean; Urquhart-Dykes & Lord, Tower House, Merriion Way, Leeds LS2 8PA (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report.	

(54) Title: GLASS TREATMENT PROCESS AND APPARATUS



(57) Abstract

An automated method of decorating a face of a flat glass sheet. The method includes the steps of: continuously feeding glass sheets and heat release decals on a decal carrier to a laminating station (40); applying heat to the decal carrier so as to simultaneously heat release the decal from the carrier and deposit the decal on an exposed surface of a respective sheet of glass continuously passing through the laminating station; continuously transferring decal-deposited glass sheets to a decal-securing oven (60); and slowly heating the glass sheets to a predetermined temperature so as to remove all binding agents from the decal and fix the decals to the glass sheets thereby decorating the glass sheets.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroun	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

-1-

Glass Treatment Process and Apparatus

This invention relates to a process for the treatment of glass, and to apparatus for carrying out the treatment.

The type of treatment of glass with which the invention is concerned is the application of decorative coating material to the surface of a glass substrate, so as to provide any required visible (decorative) appearance to the glass.

The glass substrate therefore provides the necessary strength to the composite article (the substrate plus the decorative coating), and the only requirement of the decorative coating is that it can remain secured to the surface of the glass substrate throughout the required "life" of the article, and can withstand any environmental factors to which it may be exposed in use, and which may tend to separate the coating from the substrate. In other words, a durable decorative coating for a glass substrate is required, and which can be applied to the glass substrate in an easy and reliable manner, and without adversely affecting the structural integrity of the substrate.

The present invention has been developed primarily in connection with the coating of glass substrates for architectural use e.g. as windows in buildings or in glass, in which case the coating will usually be on the inside face of the substrate. Alternatively, for other uses, e.g. in shower screens, the coating will usually be on the outside face of the substrate. Other possible uses will include use in the automotive industry.

It is of course well known to apply paper or vinyl based decorative sheets to glass substrates, using suitable adhesives, and which can be acceptable for indoor use, but such sheets are not durable and can only remain attached to a glass substrate on a temporary basis.